Version Number	Request #	Requested By	Reason	Date Change Approved	Change Made	Changed By
V1			Creation	7/22/2003		Mary Kay McDaniel
					Outstanding: The Health Plan Claim Number, no place available on this transaction, potential is the patient account number field.	
					Outstanding: The cross walk for category / status.	
V1.1			Update	1/14/2004	Updates per new implementation version	Linda Stubblefield
			Update	1/15/2005	Added 2nd 2200D Loop to allow for both health plan and AHCCCS CRN. Split into two worksheets - Paid vs. Pended encounters.	Linda Stubblefield
			Update	2/10/2004	Corrected the 2200D STC01-1 Source Data Element from CRN Category to CRN Status Code	Mary Kay McDaniel
V1.2			Update	4/22/2004	#277U012 - 2200D REF02 - Changed Logic when AHCCCS CRN and/or Health Plan CRN does not exist, move "AHCCCS CRN Not Available" or "Health Plan CRN Not Available".	Linda Stubblefield
			Update	4/23/2004	#277U010 Provider Name, ID, and Service Location come from 'P1' record in program EC97L129. Changed length from x(6) to x(25) for Provider Name.	Linda Stubblefield
V1.3			Update	5/19/2004	#277U015 Change logic for 2200D HL02 when HL03 = "22", translate HL Count from Cobol Program EC97C131 - C1 Record - Fieldname = C1-HLCNT.	Linda Stubblefield

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls

1

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
***Professional and Dental Encounters will be reported BY line. Each line will have a header (2200D) loop and a detail (2220D) loop. The total claim charge for the line will be the total line charge.											
***Institutional (UB) Claims will be reported by 'header'. There will be no 2220D loops created for a UB (no matter what the Status CRN Category.											
				ST Segment - 277 Header							
	N/A	ST	ST01	Transaction Set Identifier Code	Code uniquely identifying a Transaction Set	Autoplug "277"					
	N/A	ST	ST02	Transaction Set Control Number	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	Assign a unique Identification Number					
				BHT Segment - Transaction Structure							
	N/A	BHT	BHT01	Hierarchical Structure Code	Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set	Autoplug "0010"					
	N/A	BHT	BHT02	Transaction Set Purpose Code	Code identifying purpose of transaction set	Autoplug "08"					
1/15/2004	N/A	BHT	BHT03	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Assign a unique number. See Logic Column.			X(6) 9(3) 9(8) 9(3)	Concatenate HPID (X[6]) TSN (X[3]) Date (CCYYMMDD) Sequence Number (N[3])	
	N/A	BHT	BHT04	Date	Date (YYMMDD)	Translate	T0 Record	Current Year Current Julian Date		Using the Julian Date and Current year, create the application processing date, in YYMMDD format.	
	N/A	BHT	BHT05	Time	NOT USED PER IMPLEMENTATION GUIDE						
	N/A	BHT	BHT06	Transaction Type Code	Code specifying the type of transaction	Autoplug "TH"					
	2000A			**Information Source**							
				HL Segment - Information Source							
	2000A	HL	HL01	Hierarchical ID Number	A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	Autoplug unique alphanumeric values beginning with "1" and incremented by one each time an HL is used.					
	2000A	HL	HL03	Hierarchical Level Code	Code defining the characteristic of a level in a hierarchical structure	Autoplug "20"					
	2000A	HL	HL04	Hierarchical Child Code	Code indicating if there are hierarchical child data segments subordinate to the level being described	Autoplug "1"					
	2100A			**Payer Name**							
				NM1 Segment - Payer Name							
	2100A	NM1	NM101	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual	Autoplug "PR"					
	2100A	NM1	NM102	Entity Type Qualifier	Code qualifying the type of entity	Autoplug "2"					

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls   Page 1   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
	2100A	NM1	NM103	Name Last or Organization Name	Individual last name or organizational name	Autoplug "AHCCCS"					
	2100A	NM1	NM104	Name First	NOT USED PER IMPLEMENTATION GUIDE						
	2100A	NM1	NM105	Name Middle	NOT USED PER IMPLEMENTATION GUIDE						
	2100A	NM1	NM106	Name Prefix	NOT USED PER IMPLEMENTATION GUIDE						
	2100A	NM1	NM107	Name Suffix	NOT USED PER IMPLEMENTATION GUIDE						
	2100A	NM1	NM108	Identification Code Qualifier	Code designating the system/method of code structure used for Identification Code (67)	Autoplug "FI"					
	2100A	NM1	NM109	Identification Code	Code identifying a party or other code	Autplug "866004791"					
				N3 Segment - Payer Address							
				N4 Segment - Payer City/State/Zip							
	2000B			**Information Receiver**							
				HL Segment - Information Receiver							
	2000B	HL	HL01	Hierarchical ID Number	A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	Autoplug unique alphanumeric values beginning with "1" and incremented by one each time an HL is used. In this situation this will be "2".					
	2000B	HL	HL02	Hierarchical Parent ID Number	Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	See Logic. Would be "1" in this situation.				This refers to the HL ID number that this loop is subordinate to. This loop, Information Receiver Level, is always subordinate to the previous Information Source Level loop. This value would match HL01 from the previous 2000 loop.	
	2000B	HL	HL03	Hierarchical Level Code	Code defining the characteristic of a level in a hierarchical structure	Autoplug "21"					
	2000B	HL	HL04	Hierarchical Child Code	Code indicating if there are hierarchical child data segments subordinate to the level being described	Autoplug "1"					
	2100B			**Information Receiver Name**							
				NM1 Segment - Information Receiver Name							
	2100B	NM1	NM101	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual	Autoplug "41"					
	2100B	NM1	NM102	Entity Type Qualifier	Code qualifying the type of entity	Autoplug "2"					
	2100B	NM1	NM103	Name Last or Organization Name	Individual last name or organizational name	Move	Partner Info	Plan_Name Comp			
	2100B	NM1	NM104	Name First	Individual first name						
	2100B	NM1	NM105	Name Middle	Individual middle name or initial						
	2100B	NM1	NM106	Name Prefix	Prefix to individual name						
	2100B	NM1	NM107	Name Suffix	Suffix to individual name						
	2100B	NM1	NM108	Identification Code Qualifier	Code designating the system/method of code structure used for Identification Code (67)	Autoplug "46"					

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls   Page 2   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
	2100B	NM1	NM109	Identification Code	Code identifying a party or other code	Translate	T0 Record	Contractor ID	X(6)	Concatenate the Contractor ID + the Transmission Submitter Number to create the Identification Code.	
							T0 Record	Transmission Submiter Number	9(3)	CCCCCCTTT	
				N3 Segment - Information Receiver Address							
				N4 Segment - Information Receiver City/State/Zip							
	2000C			Provider of Service							
				HL Segment - Provider of Service							
	2000C	HL	HL01	Hierarchical ID Number	A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	Autoplug unique alphanumeric values beginning with "1" and incremented by one each time an HL is used. In this situation this will be "3".					
	2000C	HL	HL02	Hierarchical Parent ID Number	Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	See Logic.

Would be "2" in this situation. | | | | This is the value of the HL01 value of the loop to which this loop is subordinate. This Loop, Service Provider Level, is always subordinate to the previous Information Receiver Level loop. | |
	2000C	HL	HL03	Hierarchical Level Code	Code defining the characteristic of a level in a hierarchical structure	Autoplug "19"					
	2000C	HL	HL04	Hierarchical Child Code	Code indicating if there are hierarchical child data segments subordinate to the level being described	Autoplug "1"					
	2100C			Provider of Service							
				NM1 Segment - Provider Information							
1/14/2004	2100C	NM1	NM101	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual	Autoplug "1P" "IP"					
	2100C	NM1	NM102	Entity Type Qualifier	Code qualifying the type of entity	Autoplug "2"					
4/23/2004	2100C	NM1	NM103	Name Last or Organization Name	Individual last name or organizational name	Translate	C1 Record P1 Record	Provider of Service Name	X(25)	If Provider of Service Name is present, move, Else Move "No Name Available"	
	2100C	NM1	NM104	Name First	Individual first name						
	2100C	NM1	NM105	Name Middle	Individual middle name or initial						
	2100C	NM1	NM106	Name Prefix	NOT USED PER IMPLEMENTATION GUIDE						
	2100C	NM1	NM107	Name Suffix	NOT USED PER IMPLEMENTATION GUIDE						
	2100C	NM1	NM108	Identification Code Qualifier	Code designating the system/method of code structure used for Identification Code (67)	Autoplug "SV"					

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
4/23/2004	2100C	NM1	NM109	Identification Code	Code identifying a party or other code	Translate	~~C1 Record~~ ~~P1 Record~~	Service Provider ID / Provider Location Code	9(6) / 9(2)	If Service Provider ID is present, Concatenate Service Provider Id and Provider Location Code and Move Else Move "Not Found"	
	2000D		**Subscriber**								
			HL Segment - Subscriber								
	2000D	HL	HL01	Hierarchical ID Number	A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	Autoplug unique alphanumeric values beginning with "1" and incremented by one each time an HL is used. In this situation this will be "4".					
5/19/2004	2000D	HL	HL02	Hierarchical Parent ID Number	Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	~~See Logic.~~ Translate ~~Would be "3" in this situation.~~	C1 Record	C1-HLCNT (Cobol Pgm EC97C131)	9(8) Left Trim	This is the value of the HL01 value from the loop to which this loop is subordinate. This loop, Subscriber Level, is always subordinate to the previous Service Provider Level loop.	
	2000D	HL	HL03	Hierarchical Level Code	Code defining the characteristic of a level in a hierarchical structure	Autoplug "22"					
	2000D	HL	HL04	Hierarchical Child Code	Code indicating if there are hierarchical child data segments subordinate to the level being described	Autoplug "0"					
	2100D		**Subscriber Name**								
			NM1 Segment - Subscriber Name								
	2100D	NM1	NM101	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual	Autoplug "QC"					
	2100D	NM1	NM102	Entity Type Qualifier	Code qualifying the type of entity	Autoplug"1"					
	2100D	NM1	NM103	Name Last or Organization Name	Individual last name or organizational name	Move	C1 Record	Member Last Name	X(35)	If Member Last Name is Present, Move Else Move "Not Available"	
	2100D	NM1	NM104	Name First	Individual first name	Move	C1 Record	Member First Name	X(25)	If Member First Name is Present, Move Else Move "Not Available"	
	2100D	NM1	NM105	Name Middle	Individual middle name or initial						
	2100D	NM1	NM106	Name Prefix	Prefix to individual name						
	2100D	NM1	NM107	Name Suffix	Suffix to individual name						
	2100D	NM1	NM108	Identification Code Qualifier	Code designating the system/method of code structure used for Identification Code (67)	Autoplug"MI"					
	2100D	NM1	NM109	Identification Code	Code identifying a party or other code	Move	C1 Record	Member ID	X(9)	If Member ID is Present, Move Else Move "Not Available"	
			N3Segment - Subscriber Address								
	2100D	N3	N301	Address information	Address information						
	2100D	N3	N302	Address information	Address information						
			N3 Segment - Subscriber City/State/Zip								
	2100D	N4	N401	City Name	Free-form text for city name						
	2100D	N4	N402	State or Province Code	Code (Standard State/Province) as defined by appropriate government agency						

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
	2100D	N4	N403	Postal Code	Code defining international postal zone code excluding punctuation and blanks (zip code for United States)						
1/15/2004	2200D Loop 1			Claim Submitter's Identifier		The first 2200D loop will contain the AHCCCS CRN in the Payer's Claim Control Number. The second 2200D loop will contain the Health Plan CRN in the Payer's Claim Control Number.					
				TRN Segment - Claim Submitter's Identifier							
	2200D	TRN	TRN01	Trace Type Code	Code identifying which transaction is being referenced	Autoplug "2"					
1/15/2004	2200D	TRN	TRN02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Patient Account Number	X(20)		
				STC Segment - Claim Level Status Information		If the CRN Category is NOT "PE" - Pended complete the following loops. If the CRN Category IS "PE" - Pended, see the Pended Encounter Worksheet for how to complete the loops.					
1/15/2004	2200D	STC	STC01-1	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Category	X(2)	If CRN Category = "AP", Autoplug "FO" If CRN Category = "DN", Autoplug "F2" If CRN Category = "DE", Autoplug "F3"	
1/15/2004	2200D	STC	STC01-2	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Status Code	X(4)	If CRN Category = "AP", Autoplug "107" If CRN Category = "DN", Autoplug "107" If CRN Category = "DE", Autoplug "0"	
	2200D	STC	STC01-3	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual						
	2200D	STC	STC02	Date	Date (YYMMDD)	Move	C1 Record	Status Effective Date	X(6)		
	2200D	STC	STC03	Action Code	Code indicating type of action	Autoplug "NA"					
	2200D	STC	STC04	Monetary Amount	Monetary amount	Move check format….	C1 Record	Total Claim Charged Amount		If present, Move Charged Amount Else Move "0"	
				REF Segment - Payer's Claim Control Number							
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "1K"					
4/23/2004	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	AHCCCS CRN	9(14)	If present, Move AHCCCS CRN Else Move "AHCCCS CRN Not Available"	
				REF Segment - Institutional Type of Bill							
				REF Segment - Medical Record Number							
				DTP Segment - Claim Service Date							
	2200D Loop 2			Claim Submitter's Identifier		This second 2200D loop will contain the Health Plan CRN in the Payer's Claim Control Number.					

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls   Page 5   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
				TRN Segment - Claim Submitter's Identifier							
	2200D	TRN	TRN01	Trace Type Code	Code identifying which transaction is being referenced	Autoplug "2"					
1/15/2004	2200D	TRN	TRN02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Patient Account Number	X(20)		
				STC Segment - Claim Level Status Information							
1/15/2004	2200D	STC	STC01-1	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Category	X(2)	If CRN Category = "AP", Autoplug "FO" If CRN Category = "DN", Autoplug "F2" If CRN Category = "DE", Autoplug "F3"	
1/15/2004	2200D	STC	STC01-2	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Status Code	X(4)	If CRN Category = "AP", Autoplug "107" If CRN Category = "DN", Autoplug "107" If CRN Category = "DE", Autoplug "0"	
	2200D	STC	STC01-3	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual						
	2200D	STC	STC02	Date	Date (YYMMDD)	Move	C1 Record	Status Effective Date	X(6)		
	2200D	STC	STC03	Action Code	Code indicating type of action	Autoplug "NA"					
	2200D	STC	STC04	Monetary Amount	Monetary amount	Move check format….	C1 Record	Total Claim Charged Amount		If present, Move Charged Amount Else Move "0"	
				REF Segment - Payer's Claim Control Number							
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "1K"					
4/23/2004	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Health Plan CRN	9(30)	If present, Move Health Plan CRN Else Move "Health Plan CRN Not Available"	
				REF Segment - Institutional Type of Bill						If Bill Type is Present, create this segment, Else None	
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "BLT"					
	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Bill Type	X(3)		
				REF Segment - Medical Record Number						If Medical Record is Present, create this segment, Else None	
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "EA"					

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Medical Record	X(30)		
				DTP Segment - Claim Service Date						If Begin DOS is Present, Complete this Segment Else None	
	2200D	DTP	DTP01	Date Time Qualifier	Code specifying the type of date or time, or both date and time	Autoplug "472"					
	2200D	DTP	DTP02	Date Time Period Format Qualifier	Code indicating the date format, time format, or date and time format	Autoplug "RD8"					
	2200D	DTP	DTP03	Date Time Period	Expression of a date, a time, or range of dates, times or dates and times	Move	C1 Record	Begin DOS End DOS	9(8) 9(8)	Concatenate the Begin DOS and the End DOS with a "-" between to create this element. CCYYMMDD-CCYYMMDD	
	2220D			**Service Line Information**							
				SVC Segment - Service Line Information						If D1 Record is present, complete this Loop. There should never be service line information for Institutional Claims.	
	2220D	SVC	SVC01-1	Product/Service ID Qualifier	Code identifying the type/source of the descriptive number used in Product/Service ID (234)	Move	D1 Record	Procedure Code Qualifier	X(2)		
	2220D	SVC	SVC01-2	Product/Service ID	Identifying number for a product or service	Move	D1 Record	Procedure Code	X(11)		
	2220D	SVC	SVC01-3	Procedure Modifier	This identifies special circumstances related to the performance of the service, as defined by trading partners	Move	D1 Record	Procedure Modifier	X(2)	If Present, Move Procedure Modifier Else None	
	2220D	SVC	SVC01-4	Procedure Modifier	This identifies special circumstances related to the performance of the service, as defined by trading partners	Move	D1 Record	Procedure Modifier 2	X(2)	If Present, Move Procedure Modifier 2 Else None	
	2220D	SVC	SVC01-5	Procedure Modifier	This identifies special circumstances related to the performance of the service, as defined by trading partners	Move	D1 Record	Procedure Modifier 3	X(2)	If Present, Move Procedure Modifier 3 Else None	
	2220D	SVC	SVC01-6	Procedure Modifier	This identifies special circumstances related to the performance of the service, as defined by trading partners	Move	D1 Record	Procedure Modifier 4	X(2)	If Present, Move Procedure Modifier 4 Else None	
	2220D	SVC	SVC02	Monetary Amount	Monetary amount (This is the submitted charge.)	Move	D1 Record	Line Charged Amount	9(9)V99	If present move Charged Amount, Else Move "0"	
	2220D	SVC	SVC03	Monetary Amount	Monetary amount (This is the amount paid.)	Autoplug "0"					
	2220D	SVC	SVC04	Product/Service ID	Identifying number for a product or service (this is the NUBC code.)	N/A					
	2220D	SVC	SVC07	Quantity	Numeric value of quantity	Move, using logic	D1 Record	Submitted Line Units		If Submitted Units present, Move Else None	
				STC Segment - Service Line Status Information							

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls   Page 7   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
1/15/2001	2220D	STC	STC01-1	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Category	X(2)	If CRN Category = "AP", Autoplug "FO" If CRN Category = "DN", Autoplug "F2" If CRN Category = "DE", Autoplug "F3"	
1/15/2005	2220D	STC	STC01-2	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Status Code	X(4)	If CRN Category = "AP", Autoplug "107" If CRN Category = "DN", Autoplug "107" If CRN Category = "DE", Autoplug "0"	
	2220D	STC	STC01-3	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual						
		STC	STC02	Date	NOT USED PER IMPLEMENTATION GUIDE						
	2220D	STC	STC03	Action Code	Code indicating type of action	Autoplug "NA"					
				REF Segment - Service Line Item Control Number							
	2220D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "FJ"					
	2220D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	D1 Record	Line Item Control Number			
				DTP Segment - Service Line Date							
	2220D	DTP	DTP01	Date Time Qualifier	Code specifying the type of date or time, or both date and time	Autoplug "472"					
	2220D	DTP	DTP02	Date Time Period Format Qualifier	Code indicating the date format, time format, or date and time format	Autoplug "RD8"					
	2220D	DTP	DTP03	Date Time Period	Expression of a date, a time, or range of dates, times or dates and times		D1 Record	Begin DOS / End DOS	9(8) / 9(8)	Concatenate the Begin DOS and the End DOS with a "-" between to create this element. CCYYMMDD-CCYYMMDD	
	2000E			**Dependent**							
				HL Segment - Dependent							
	2100E			**Patient Name**							
				NM1 Segment - Patient Name							
				N3 Segment - Patient Address							
				N4 Segment - Patient City/State/Zip							
	2200E			**Claim Submitter's Identifier**							
				TRN Segment - Claim Submitter's Identifier							
				STC Segment - Claim Line Status Information							
				REF Segment - Payer's Claim Control Number							
				REF Segment - Institutional Type of Bill							
				REF Segment - Medical Record Number							
				DTP Segment - Claim Service Date							
	2220E			**Service Line Information**							
				SVC Segment - Service Line Information							
				STC Segment - Service Line Status Information							
				REF Segment - Service Line Item Control Number							
				DTP Segment - Service Line Date							
				SE Segment - Transaction Trailer							

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
	N/A	SE	SE01	Number of Included Segments	Total number of segments included in a transaction set including ST and SE segments	Expect the total number of segments included in a transaction set including ST and SE segments.					
	N/A	SE	SE02	Transaction Set Control Number	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	Assign a unique Identification Number same as ST02.					

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls   Page 9   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
colspan=12	**When the CRN Category is "PE" complete the following loops.**
1/15/2004	**2200D Loop 1**			Claim Submitter's Identifier		colspan=4	**The first 2200D loop will contain the AHCCCS CRN in the Payer's Claim Control Number. The second 2200D loop will contain the Health Plan CRN in the Payer's Claim Control Number.**	
				TRN Segment - Claim Submitter's Identifier							
	2200D	TRN	TRN01	Trace Type Code	Code identifying which transaction is being referenced	Autoplug "2"					
1/15/2004	2200D	TRN	TRN02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Patient Account Number	X(20)		
				STC Segment - Claim Level Status Information							
1/15/2004	2200D	STC	STC01-1	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Category	X(2)	If the CRN Category = "PE", Autoplug "P1"	
1/15/2004	2200D	STC	STC01-2	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Status Code	X(4)	If the CRN Category = "PE", Autoplug "21"	
	2200D	STC	STC01-3	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual						
	2200D	STC	STC02	Date	Date (YYMMDD)	Move	C1 Record	Status Effective Date	X(6)		
	2200D	STC	STC03	Action Code	Code indicating type of action	Autoplug "NA"					
	2200D	STC	STC04	Monetary Amount	Monetary amount	Move check format….	C1 Record	Total Claim Charged Amount		If present, Move Charged Amount Else Move "0"	
				REF Segment - Payer's Claim Control Number							
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "1K"					
4/23/2004	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	AHCCCS CRN	9(14)	If present, Move AHCCCS CRN Else Move "AHCCCS CRN Not Available"	
				REF Segment - Institutional Type of Bill							
				REF Segment - Medical Record Number							
				DTP Segment - Claim Service Date							
	2200D Loop 2			Claim Submitter's Identifier		colspan=4	**This second 2200D loop will contain the Health Plan CRN in the Payer's Claim Control Number.**	
				TRN Segment - Claim Submitter's Identifier							
	2200D	TRN	TRN01	Trace Type Code	Code identifying which transaction is being referenced	Autoplug "2"					

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls

Page 1   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
1/15/2004	2200D	TRN	TRN02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Patient Account Number	X(20)		
				STC Segment - Claim Level Status Information							
1/15/2004	2200D	STC	STC01-1	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Category	X(2)	If the CRN Category = "PE", Autoplug "P1"	
1/15/2004	2200D	STC	STC01-2	Industry Code	Code indicating a code from a specific industry code list	See Logic Column	C1 Record	CRN Status Code	X(4)	If the CRN Category = "PE", Autoplug "21"	
	2200D	STC	STC01-3	Entity Identifier Code	Code identifying an organizational entity, a physical location, or an individual						
	2200D	STC	STC02	Date	Date (YYMMDD)	Move	C1 Record	Status Effective Date	X(6)		
	2200D	STC	STC03	Action Code	Code indicating type of action	Autoplug "15"					
	2200D	STC	STC04	Monetary Amount	Monetary amount	Move check format….	C1 Record	Total Claim Charged Amount		If present, Move Charged Amount Else Move "0"	
				REF Segment - Payer's Claim Control Number							
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "1K"					
4/23/2004	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Health Plan CRN	9(30)	If present, Move Health Plan CRN Else Move "Health Plan CRN Not Available"	
				REF Segment - Institutional Type of Bill						If Bill Type is Present, create this segment, Else None	
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "BLT"					
	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Bill Type	X(3)		
				REF Segment - Medical Record Number						If Medical Record is Present, create this segment, Else None	
	2200D	REF	REF01	Reference Identification Qualifier	Code qualifying the reference identification	Autoplug "EA"					
	2200D	REF	REF02	Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Move	C1 Record	Medical Record	X(30)		
				DTP Segment - Claim Service Date						If Begin DOS is Present, Complete this Segment Else None	

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls

Page 2   DRAFT

Revision Date	Destination Loop ID	Destination Segment ID	Destination Element ID	Destination Element Name	Destination Element Definition	Source Translator	Source	Source Data Element	Source Field Size	Logic	Comments
	2200D	DTP	DTP01	Date Time Qualifier	Code specifying the type of date or time, or both date and time	Autoplug "472"					
	2200D	DTP	DTP02	Date Time Period Format Qualifier	Code indicating the date format, time format, or date and time format	Autoplug "RD8"					
	2200D	DTP	DTP03	Date Time Period	Expression of a date, a time, or range of dates, times or dates and times	Move	C1 Record	Begin DOS End DOS	9(8) 9(8)	Concatenate the Begin DOS and the End DOS with a "-" between to create this element. CCYYMMDD-CCYYMMDD	
	2220D			**Service Line Information**							
				SVC Segment - Service Line Information							
				STC Segment - Service Line Status Information							
				REF Segment - Service Line Item Control Number							
				DTP Segment - Service Line Date							
	2000E			**Dependent**							
				HL Segment - Dependent							
	2100E			**Patient Name**							
				NM1 Segment - Patient Name							
				N3 Segment - Patient Address							
				N4 Segment - Patient City/State/Zip							
	2200E			**Claim Submitter's Identifier**							
				TRN Segment - Claim Submitter's Identifier							
				STC Segment - Claim Line Status Information							
				REF Segment - Payer's Claim Control Number							
				REF Segment - Institutional Type of Bill							
				REF Segment - Medical Record Number							
				DTP Segment - Claim Service Date							
	2220E			**Service Line Information**							
				SVC Segment - Service Line Information							
				STC Segment - Service Line Status Information							
				REF Segment - Service Line Item Control Number							
				DTP Segment - Service Line Date							
				SE Segment - Transaction Trailer							
	N/A	SE	SE01	Number of Included Segments	Total number of segments included in a transaction set including ST and SE segments	Expect the total number of segments included in a transaction set including ST and SE segments.					
	N/A	SE	SE02	Transaction Set Control Number	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	Assign a unique Identification Number same as ST02.					

Last Updated: 01/14/2004

G:\HIPAA Library\Transactions+Code Sets\Translator Specifications\Current Docs\277U\277U Trans Specs V1.3 05-19-2004.xls

Page 3   DRAFT